



C⁴I for the Warrior

BARKSDALE 2ND BOMB WING COMMAND POST MULTILEVEL NETWORK

*Mr. Richard A Griffith & Mr. Mac E. McGregor
C4 Technology Validation Office - Barksdale AFB, LA
22 - 25 October 1996*



Overview

C⁴I for the Warrior

- **MLN History**
- **What is MLN**
- **MLN Architecture and Hardware**
- **MLN Benefits**
- **Project Milestones**
- **User Interest**



MLN History

C⁴I for the Warrior


- **AMC began exploring MLN technology for GDSS**
- **AFC4A Interoperability Facility requested to evaluate MLN technical solution for AMC**
- **C4TVO tasking- migrate technology into a wing CP environment and operationally validate an affordable COTS, secure MLN solution to provide one CMW per user to run multiple unclassified and secret applications simultaneously**



What MLN Gives You

C⁴I for the Warrior


- One workstation access to:





Multilevel Network Command Post Layout


C⁴I for the Warrior





MLN Architecture

C⁴I for the Warrior






Minimum MLN Requirements


C⁴I for the Warrior

Server Requirements




- 486 DX66
- 4GB Hard Drive
- 64 MB RAM
- Tape Backup

Gateway Requirements



- 486 DX66
- 800MB Hard Drive
- 16 MB RAM
- 2 Network Interface Cards
(1 multilevel & 1 class specified)
- 1 - Classified Gateway
- 1 - Unclassified Gateway

Workstation Requirements




- 486 DX66
- 540MB Hard Drive
- 32 MB RAM

**SECUREWARE Version 3.0 operating on SCO
Unix platform with DOS Emulation**




MLN Cost Estimates

Server Requirements




H/W \$12,000
S/W \$ 2,200

Gateway Requirements



H/W \$ 2,000
S/W \$ 2,200

C⁴I for the Warrior Workstation Requirements



H/W \$ 2,500
S/W \$ 2,200



2 CISCO Routers - 1 Unclassified 1 Secret
\$4,000 each



1 Server + 2 Gateways + 2 CISCO + 10 Workstations = \$ 71,600



MLN Installation Process

C⁴I for the Warrior

- **Assess Needs**
- **Survey the Site**
- **Certification and Accreditation Plan**
- **Procure Components**
- **Schedule Installation**
- **Install Equipment**



MLN Installation Process

(cont.)

C⁴I for the Warrior

- **Risk Analysis**
- **Certifications**
- **Security Features
User's Guide**
- **Trusted Facility Manual**
- **Certification/Accreditation
Letters**
- **Operational Testing**
- **User Training**



MLN Benefits

C⁴I for the Warrior

Multiple workstations versus **ONE** for the same information






MLN Milestones & Future Activity

C⁴I for the Warrior

Multilevel Network One Workstation Access



- 2nd Bomb Wing MLN has received Final Accreditation and approval to operate by Air Force DAA
- MLN operational in the 2BW/CP
- IOC declared 4 Mar 96
- Operational Validation started 25 Mar 96
- Create Implementation and Installation Guide for 38 EIW to export MLN Air Force wide
- MLN Expo occurred 1 May 96
- Briefed Gen Fairfield, Gen Lampe
Mr Gilligan - Pentagon 13-15 May



Interest in MLN

C⁴I for the Warrior

- **HQ USAF/XOS - (Pentagon)**
- **HQ AFSPC**
- **HQ AETC**
- **US TRANSCOM**
- **HQ AFSOC**
- **AFPCA - (Pentagon)**
- **HQ AFRES - (Robins & Barksdale)**
- **ANG - (Tyndall)**
- **HQ EUCOM**
- **HQ AMC**
- **HQ ACC - Langley AFB, Dyess AFB, Whiteman AFB, Tinker AFB, Minot AFB, Cannon AFB, Nellis AFB, Little Rock AFB, Macdill AFB, Hurlburt Field**



Summary

C⁴I for the Warrior

- **MLN technology is now proven**
- **Operational validation in progress**
- **Interest is high throughout the Air Force**